

# Examen de Matemáticas 1º de Bachillerato

## Octubre 2008

---

**Problema 1** Discutir y resolver por el método de Gauss los siguientes sistemas:

$$\left\{ \begin{array}{l} x+2y-z=1 \\ 2x-y-z=0 \\ 3x+y+2z=2 \end{array} \right. ; \quad \left\{ \begin{array}{l} x+y+z=1 \\ x+2y-z=2 \\ 2x+3y=4 \end{array} \right.$$

**Solución:**

$$\left\{ \begin{array}{l} x+2y-z=1 \\ 2x-y-z=0 \\ 3x+y+2z=2 \end{array} \right. \text{ Sistema Compatible Determinado} \implies \left\{ \begin{array}{l} x=7/20 \\ y=9/20 \\ z=1/4 \end{array} \right.$$

$$\left\{ \begin{array}{l} x+y+z=1 \\ x+2y-z=2 \\ 2x+3y=4 \end{array} \right. \text{ Sistema Incompatible}$$

**Problema 2** Resolver las ecuaciones:

1.  $\ln x - \ln(1-x) = 1$
2.  $\log(7-x^2) - \log x = 1$
3.  $\log(2x+3) + \log x = -1$

**Solución:**

$$1. \ln x - \ln(1-x) = 1 \implies \ln \frac{x}{(1-x)} = \ln e \implies x = e - ex \implies x = \frac{e}{e+1} = 0,7310585786.$$

$$2. \log(7-x^2) - \log x = 1 \implies \log \frac{7-x^2}{x} = \log 10 \implies x^2 + 10x - 7 = 0 \implies x = 0,6568542494, \quad x = -10,65685424 \text{ (no vale).}$$

$$3. \log(2x+3) + \log x = -1 \implies \log(2x^2 + 3x) = \log 10^{-1} \implies 20x^2 + 30x - 1 = 0 \implies x = 0,03262379212; \quad x = -1,532623792 \text{ (no vale).}$$

**Problema 3** Resolver el siguiente sistema

$$\left\{ \begin{array}{l} x^2 + y^2 = 1 \\ x + y = 0 \end{array} \right.$$

**Solución:**

$$\left\{ \begin{array}{l} x^2 + y^2 = 1 \\ x + y = 0 \end{array} \right. \implies \left\{ \begin{array}{l} x = \frac{\sqrt{2}}{2}, \quad y = -\frac{\sqrt{2}}{2} \\ x = -\frac{\sqrt{2}}{2}, \quad y = \frac{\sqrt{2}}{2} \end{array} \right.$$

**Problema 4** Resolver las inecuaciones siguientes:

$$1. \frac{2x-1}{3} + \frac{x+1}{2} \geq 1 - \frac{x}{2}$$

$$2. \frac{x^2+x-2}{x^2+2x-15} \leq 0$$

**Solución:**

$$1. \frac{2x-1}{3} + \frac{x+1}{2} \geq 1 - \frac{x}{2} \implies \left[ \frac{1}{2}, +\infty \right)$$

$$2. \frac{x^2+x-2}{x^2+2x-15} \leq 0 \implies (-5, -2] \cup [1, 3)$$

**Problema 5** Calcular los siguientes límites:

$$1. \lim_{x \rightarrow \infty} \frac{2x^3 + x - 1}{3x^3 + 2}$$

$$2. \lim_{x \rightarrow \infty} \frac{3x^2 + 2x + 1}{x^5 + 2}$$

$$3. \lim_{x \rightarrow \infty} \frac{x^6 + x - 1}{x^4 + 2}$$

$$4. \lim_{x \rightarrow \infty} \left( \frac{2x^2 + x}{x^2 - 1} \right)^{3x^2 - 1}$$

$$5. \lim_{x \rightarrow \infty} \left( \frac{x^2 - x - 1}{2x^2} \right)^{2x - 1}$$

$$6. \lim_{x \rightarrow \infty} \left( \frac{x + 1}{x} \right)^{2x}$$

**Solución:**

$$1. \lim_{x \rightarrow \infty} \frac{2x^3 + x - 1}{3x^3 + 2} = \frac{2}{3}$$

$$2. \lim_{x \rightarrow \infty} \frac{3x^2 + 2x + 1}{x^5 + 2} = 0$$

$$3. \lim_{x \rightarrow \infty} \frac{x^6 + x - 1}{x^4 + 2} = \infty$$

$$4. \lim_{x \rightarrow \infty} \left( \frac{2x^2 + x}{x^2 - 1} \right)^{3x^2 - 1} = +\infty$$

$$5. \lim_{x \rightarrow \infty} \left( \frac{x^2 - x - 1}{2x^2} \right)^{2x-1} = 0$$

$$6. \lim_{x \rightarrow \infty} \left( \frac{x+1}{x} \right)^{2x} = e^2$$

**Problema 6** Calcular los siguientes límites:

$$1. \lim_{x \rightarrow 1} \frac{x^3 - 2x^2 + 2x - 1}{x^4 - x^3 + 2x - 2}$$

$$2. \lim_{x \rightarrow \infty} (\sqrt{x-1} - \sqrt{x+1})$$

$$3. \lim_{x \rightarrow 2} \frac{\sqrt{2x^2 + 1} - 3}{x - 2}$$

$$4. \lim_{x \rightarrow -2} \frac{x^4 + 2x^3 - x^2 - x + 2}{x^3 + 2x^2 - x - 2}$$

$$5. \lim_{x \rightarrow \infty} \frac{\sqrt{2x^2 + x + 2} - x}{x - 1}$$

$$6. \lim_{x \rightarrow 2} \frac{2\sqrt{x-1} - 2}{x - 2}$$

**Solución:**

$$1. \lim_{x \rightarrow 1} \frac{x^3 - 2x^2 + 2x - 1}{x^4 - x^3 + 2x - 2} = \frac{1}{3}$$

$$2. \lim_{x \rightarrow \infty} (\sqrt{x-1} - \sqrt{x+1}) = 0$$

$$3. \lim_{x \rightarrow 2} \frac{\sqrt{2x^2 + 1} - 3}{x - 2} = \frac{4}{3}$$

$$4. \lim_{x \rightarrow -2} \frac{x^4 + 2x^3 - x^2 - x + 2}{x^3 + 2x^2 - x - 2} = -\frac{5}{3}$$

$$5. \lim_{x \rightarrow \infty} \frac{\sqrt{2x^2 + x + 2} - x}{x - 1} = \sqrt{2} - 1$$

$$6. \lim_{x \rightarrow 2} \frac{2\sqrt{x-1} - 2}{x - 2} = 1$$